International Journal of Cosmetic Science **17**, 265–269 (1995)

Author index

Andrew, J.J., 105
Andrisano, V., 53
Arnaud-Battandier, J., 233

Bader, S., 147
Baraldi, P.G., 147
Bargagna, A., 47, 187
Benetti, S., 27
Bernardin, G., 207
Bindra, R.M.S., 105
Bizot-Foulon, V., 255
Blankenburg, G., 87
Bonina, F., 91
Boue-Grabot, M., 207
Brigidi, P., 147

Cacciari, B., 147
Carlotti, M.E., 13
Cavalletti, T., 27
Cavalli, R., 13
Cavrini, V., 53
Challis, B.C., 119, 219
Chaumond, S., 207
Colling, J., 219
Conti, A., 77
Cromie, D.D.O., 219
Cummins, P.G., 105

Eccleston, G.M., 105

Flament, I., 61
Fortune, R., 175
Francois, A.M., 197
Fructus, A.E., 233

Garson, J.C., 133
Gasco, M.R., 13
Gilard, P., 133
Giogilli, G., 91
Godeau, G., 255
Gournay, A., 173
Guarneri, M., 147
Guessous, F., 255
Guthrie, W.G., 119

Hocker, H., 87
Hocquaux, M., 133
Hollfelder, B., 87
Hornebeck, W., 255
Hussler, G., 197
Hussler, F., 133

Kaba, G., 197
Katsarou, A., 157

Imhof, R.E., 105

Laget, J.P., 175
Lati, E., 255
Leroy, R., 133
Lomax, E., 217
Longobardi, M., 47, 187

Mahieu, C., 133
Maillols, H., 175
Manfredini, S., 147
Marginean, G., 233
Mariani, E., 187, 47
Marti-Mestres, G., 175
Marty, J.P., 233
Mathieu, J., 173
Montenegro, L., 91

Navarro, R., 173
Neuhoff, C., 187
Nielloud, F., 175

Papaioannou, G., 157
Passuti, S., 53
Pattarino, F., 13
Phillipe, M., 133
Pinon, J.F., 207
Pollock, J.R.A., 219

Rallis, M., 157
Rigano, L., 27, 91
Riviere, M., 173

Roch-Arveillier, M., 255
Roper, D.V., 119
Rousset, G., 255

Saint-Leger, D., 197
Sauvegrain, P., 61
Schenone, P., 47
Schiavi, M.E., 77
Seidenari, S., 77
Semeria, D., 133
Sirigu, S., 91
Spalluto, G., 147
Summer, P., 53
Swift, J.A., 245

Taylor, P., 219
Telling, G.M., 219
Traniello, S., 27
Trew, D.F., 119

Valavanidis, A., 157
Vanlerberghe, G., 133
Vuilleumier, C., 61

Wallace, L., 219
Wichrowski, K., 1
Wolfram, L.J., 87

Xenos, K., 157

Zanotti, F., 147

0142–5463 © 1995 *International Journal of Cosmetic Science*

Subject index

Acrylic/alkyl acrylate cross-polymers: surfactant mixtures; o/w emulsions; optimization; structure-properties relationships, 13
Age: skin site; transepidermal water loss; capacitance; causal level of sebum; sex, 77
Air/skin partition: diffusion; perfume ingredients; headspace, 61
Alternative methods: irritancy; cosmetics; cytotoxidity; Draize test; HET-CAM test, 207
Analysis: *in vitro* efficacy in the treatment of skin and hair; ceramide; synthesis, 133
Antibacterial: formulation; protection; diazoles; pyrazoles; cosmetic, 147
Apparent total *N*-nitroso compounds: ATNC, *N*-nitrosamines; total *N*-nitrosamines; personal care products, 219
ATNC, *N*-nitrosamines: total *N*-nitrosamines; personal care products; apparent total *N*-nitroso compounds, 219
Blood: petroleum jelly; methyl nicotinate; opto-thermal; stratum corneum hydration, 105
Capacitance: causal level of sebum; sex; age; skin site; transepidermal water loss, 77
Causal level of sebum: sex; age; skin site; transepidermal water loss; capacitance, 77
Ceramide: synthesis; analysis; *in vitro* efficacy in the treatment of skin and hair, 133
Ceramides: human neutrophil elastase; inhibition, 255
Cineole esters: odorants; multipurpose notes; *in vitro* toxicity tests, 187
Cineole ethers: odorants; terpene-like note, 47
CMC: fibroblast cultures; formulation screening; surfactants; *in vitro* toxicity, 27
Coarseness: fineness; cuticle; cross-section shape and dimensions; uncombable hair; racial hair types, 245
Cosmetic: antibacterial; formulation; protection; diazoles; pyrazoles, 147
Cosmetics: cytotoxidity; Draize test; HET-CAM test; alternative methods; irritancy, 207
Cosmetics: toiletries; formation mechanisms; formaldehyde catalysis; inhibition; nitrosamines, 119
Cross-section shape and dimensions: uncombable hair; racial hair types; coarseness; fineness; cuticle, 245
Cytotoxidity: Draize test; HET-CAM test; alternative methods; irritancy; cosmetics, 207
Determination: liquid chromatography; hair dyes; raw materials; impurities, 53
Diazoles: pyrazoles; cosmetic; antibacterial; formulation; protection, 147
Diffusion: perfume ingredients; headspace; air/skin partition, 61
Draize test: HET-CAM test; alternative irritancy; cosmetics cytotoxidity, 207
Electron spin resonance: photocarcinogenesis; free radicals; melanins, 157
Emulsions: formulation parameters; factorial experimental designs; graphical methods, 175
Factorial experimental designs: graphical methods; emulsions; formulation parameters, 175
Fibroblast cultures: formulation screening; surfactants; *in vitro* toxicity; CMC, 27
Fineness: cuticle; cross-section shape and dimensions; uncombable hair; racial hair types; coarseness, 245
Formaldehyde catalysis: inhibition; nitrosamines; cosmetics; toiletries; formation mechanisms, 119
Formation mechanisms: formaldehyde catalysis; inhibition; nitrosamines; cosmetics; toiletries, 119
Formulation: protection; diazoles; pyrazoles; cosmetic; antibacterial, 147
Formulation parameters: factorial experimental designs; graphical methods; emulsions, 175
Formulation screening: surfactants; *in vitro* toxicity; CMC; fibroblast cultures, 27
Fourier transform infra red spectroscopy (FTIR): moisture factor (MF); stratum corneum; moisturizing, 1
Free ceramides: hair; sphinganine/sphingenine; mass spectrometry characterization, 197
Free radical scavengers: UVB erythema; *in vivo*; human skin; reflectancy spectrophotometry, 91
Free radicals: melanins; electron spin resonance; photocarcinogenesis, 157
Graphical methods: emulsions; formulation parameters; factorial experimental designs, 175
Hair: sphinganine/sphingenine; mass spectrometry characterization; free ceramides, 197
Hair dyes: raw materials; impurities; determination; liquid chromatography, 53
Headspace: air/skin partition; diffusion; perfume ingredients, 61
HET-CAM test: alternative methods; irritancy; cosmetics; cytotoxidity; Draize test, 207
Human epidermis: UVB; short UVA; long UVA; SPF(FDA) PF *ex-vivo*, 233

Human neutrophil elastase: inhibition; ceramides, 255
Human skin: reflectance spectrophotometry; free radical scavengers; UVB erythema; *in vivo*, 91
Hygroscopic properties: thermal desorption-mass spectrometry coupling method; skin water retention, 165
Impurities: determination; liquid chromatography; hair dyes; raw materials, 53
***In vitro* efficacy in the treatment of skin and hair:** ceramide; synthesis; analysis, 133
***In vitro* toxicity:** CMC; fibroblast cultures; formulation screening; surfactants, 27
***In vitro* toxicity test:** cineole esters; odorants; multipurpose notes, 187
***In vivo*:** human skin; reflectance spectrophotometry; free radical scavengers; UVB erythema, 91
Inhibition: ceramides; human neutrophil elastase, 255
Inhibition: nitrosamines; cosmetics; toiletries; formation mechanisms; formaldehyde catalysis, 119
Irritancy: cosmetics; cytotoxidity; Draize test; HET-CAM test; alternative methods, 207
Liquid chromatography: hair dyes; raw materials; impurities; determination, 53
Long UVA: SPF(FDA) PF *ex-vivo*; human epidermis; UVB; short UVA, 233
Mass spectrometry characterization: free ceramides; hair; sphinganine/sphingenine, 197
Melanins: electron spin resonance; photocarcinogenesis; free radicals, 157
Methyl nicotinate: opto-thermal; stratum corneum hydration; blood; petroleum jelly, 105
moisture factor (MF): stratum corneum; moisturizing; Fourier transform infra red spectroscopy (FTIR), 1
Moisturizing: Fourier transform infra red spectroscopy (FTIR); moisture factor (MF); stratum corneum, 1
Multipurpose notes: *in vitro* toxicity tests; cineole esters; odorants, 187
Nitrosamines: cosmetics; toiletries; formation mechanisms; formaldehyde catalysis; inhibition, 119
O/W emulsions: optimization; structure-properties relationships; acrylic/alkyl acrylate cross-polymers; surfactant mixtures, 13
Odorants: terpene-like note; cineole ethers, 47
Odorants: multipurpose notes; *in vitro* toxicity tests; cineole esters, 187
Optimization: structure-properties relationships; acrylic/alkyl acrylate cross-polymers; surfactant mixtures; o/w emulsions, 13
Opto-thermal: stratum corneum hydration; blood; petroleum jelly; methyl nicotinate, 105
Perfume ingredients: headspace; air/skin partition; diffusion, 61
Personal care products: apparent total *N*-nitroso compounds; ATNC, *N*-nitrosamines; total *N*-nitrosamines, 219
Petroleum jelly: methyl nicotinate; opto-thermal; stratum corneum hydration; blood, 105
Photocarcinogenesis: free radicals; melanins; electron spin resonance, 157
Protection: diazoles; pyrazoles; cosmetic; antibacterial; formulation, 147
Pyrazoles: cosmetic; antibacterial; formulation; protection; diazoles, 147
Racial hair types: coarseness; fineness; cuticle; cross-section shape and dimensions; uncombable hair, 245
Raw materials: impurities; determination; liquid chromatography; hair dyes, 53
Reflectance spectrophotometry: free radical scavengers; UVB erythema; *in vivo*; human skin, 91
Sex: age; skin site; transepidermal water loss; capacitance; causal level of sebum, 77
Short UVA: long UVA; SPF(FDA) PF *ex-vivo*; human epidermis; UVB, 233
Skin site: transepidermal water loss; capacitance; causal level of sebum; sex; age, 77
Skin water retention: hygroscopic properties; thermal desorption-mass spectrometry coupling method, 165
SPF(FDA) PF *ex-vivo*: human epidermis; UVB; short UVA; long UVA, 233
Sphinganine/sphingenine: mass spectrometry characterization; free ceramides; hair, 197
Stratum corneum: moisturizing; Fourier transform infra red spectroscopy (FTIR); moisture factor (MF), 1
Stratum corneum hydration: blood; petroleum jelly; methyl nicotinate; opto-thermal, 105
Structure-properties relationships: acrylic/alkyl acrylate cross-polymers; surfactant mixtures; o/w emulsions; optimization, 13
Surfactant mixtures: o/w emulsions; optimization; structure-properties relationships; acrylic/alkyl acrylate cross-polymers, 13
Surfactants: *in vitro* toxicity; CMC; fibroblast cultures; formulation screening, 27
Synthesis: analysis; *in vitro* efficacy in the treatment of skin and hair; ceramide, 133
Terpene-like note: cineole ethers; odorants, 47
Thermal desorption-mass spectrometry coupling method: skin water retention; hygroscopic properties, 165
Toiletries: formation mechanisms; formaldehyde catalysis; inhibition; nitrosamines; cosmetics, 119

Total *N*-nitrosamines: personal care products; apparent total *N*-nitroso compounds; ATNC, *N*-nitrosamines, 219
Transepidermal water loss: capacitance; causal level of sebum; sex; age; skin site, 77
Uncombable hair: racial hair types; coarseness; fineness; cuticle; cross-section shape and dimensions, 245
UVB: short UVA; long UVA; SPF(FDA) PF *ex-vivo*; human epidermis, 233
UVB erythema: *in vivo*; human skin; reflectance spectrophotometry; free radical scavengers, 91